L Number	Hits	Search Text	DB	Time stamp
1	6165	((717/124-126,149,154) or (714/25-38) or (702/186,196)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:03
2	9	(((717/124-126,149,154) or (714/25-38) or (702/186,196)).CCLS.) and (@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification)) and (717/$ or 714/$) and (module same (block or submodule or section)) and (decompos$6 or hierarch$5 or subdivi$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:05
3	30	(US-6249882-$ or US-5758061-$ or US-5673387-$ or US-5193178-$ or US-4595981-$ or US-5805795-$ or US-5754760-$ or US-5634098-$ or US-5335342-$ or US-5021997-$ or US-4617663-$ or US-5005119-$ or US-6351455-$ or US-6629267-$ or US-5561762-$ or US-4862399-$ or US-5390193-$ or US-5159600-$ or US-6615163-$ or US-5831995-$ or US-5542043-$ or US-6256776-$ or US-6625760-$ or US-6601018-$ or US-6598222-$ or US-6275980-$).did. or (US-6237117-$ or US-5860009-$).did. or (US-20020066077-$ or US-20020154712-$).did.	USPAT; US-PGPUB	2004/08/23 09:05
4	8	(((717/124-126,149,154) or (714/25-38) or (702/186,196)).CCLS.) and (@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification)) and (717/$ or 714/$) and (module same (block or submodule or section)) and (decompos$6 or hierarch$5 or subdivi$6)) not ((US-6249882-$ or US-5758061-$ or US-5673387-$ or US-5193178-$ or US-4595981-$ or US-5805795-$ or US-5754760-$ or US-5634098-$ or US-5335342-$ or US-5021997-$ or US-4617663-$ or US-5005119-$ or US-6351455-$ or US-6629267-$ or US-5561762-$ or US-4862399-$ or US-5390193-$ or US-5159600-$ or US-6615163-$ or US-5831995-$ or US-5542043-$ or US-6256776-$ or US-6625760-$ or US-6601018-$ or US-6598222-$ or US-6275980-$).did. or (US-6237117-$ or US-5860009-$).did. or (US-20020066077-$ or US-20020154712-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:05
-	41	((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 15:58
-	26	((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 15:58
-	41	((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:39

C:\APPS\EAST\Workspaces\09943209.wsp

–	0	`((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) and ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) and (decompos$6)`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:04
–	18	`((module or "test case" or program or code or target) same ( decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and (717/$ or 714/$)) )`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:02
–	15	`(@ad<=20010820 or @rlad<=20010820) and (((module or "test case" or program or code or target) same ( decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and (717/$ or 714/$)) ))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:20
–	1	`((@ad<=20010820 or @rlad<=20010820) and (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and (717/$ or 714/$))))) and ((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:07
–	34	`4862399.URPN.`	USPAT	2004/08/20 16:04
–	355	`(input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:07
–	94	`((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or 714/$)`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:07
–	1	`(((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or 714/$)) and (((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and (717/$ or 714/$)))))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:23

–		7	("4862399" | "4996689" | "5004978" | "5010552" | "5027353" | "5159600" | "5187712").PN.	USPAT	2004/08/20 16:12
–		11	5159600.URPN.	USPAT	2004/08/20 16:15
–		19	5542043.URPN.	USPAT	2004/08/20 16:17
–		10	((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp$4 or apply$5 or submi$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:21
–		4	(@ad<=20010820 or @rlad<=20010820) and (((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp$4 or apply$5 or submi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:22
–		8	(((input or vector) near5 (program or software or code))) same ((mapp$4 or apply$5 or submi$6) adj4 (subset or submodule))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:24
–		7	(@ad<=20010820 or @rlad<=20010820) and ((((input or vector) near5 (program or software or code))) same ((mapp$4 or apply$5 or submi$6) adj4 (subset or submodule)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:36
–		2	((@ad<=20010820 or @rlad<=20010820) and ((((input or vector) near5 (program or software or code))) same ((mapp$4 or apply$5 or submi$6) adj4 (subset or submodule)))) and (717/$ or 714/$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:23
–		75	(717/$ or 714/$) and ((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and (717/$ or 714/$)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:24
–		0	717/$ and ((runn$4 or appl$4 or submi$6) near4 (set near8 (input and submodule)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:34
–		1	717/$ and ((runn$4 or appl$4 or submi$6) near4 ((input and submodule)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:31
–		0	717/$ and ((runn$4 or appl$4 or submi$6) near4 ((minimum or smallest) near8 (output same input)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:14
–		7	(test$4 or debug$4 or verif$7).clm. and ((runn$4 or appl$4 or submi$6) near4 ((minimum or smallest) near8 (output same input)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:36

-		7	(@ad<=20010820 or @rlad<=20010820) and ((test$4 or debug$4 or verif$7).clm. and ((runn$4 or appl$4 or submi$6) near4 ((minimum or smallest) near8 (output same input))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:04
-		0	6615163.URPN.	USPAT	2004/08/20 16:38
-		14	("3795864" | "3976826" | "4084136" | "4357677" | "4513288" | "5159600" | "5311176" | "5329279" | "5497395" | "5542043" | "5726925" | "5900856" | "6069574" | "6181310").PN.	USPAT	2004/08/20 16:38
-		3	((iterativ$5 or incremental$4 or recursiv$5) near3 (isolat$4 or identif$4 or detect$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:12
-	. '.	2	(@ad<=20010820 or @rlad<=20010820) and (((iterativ$5 or incremental$4 or recursiv$5) near3 (isolat$4 or identif$4 or detect$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:32
-		560	((debug$4 or test$4).ab. or (714/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:11
-		126	(((debug$4 or test$4).ab. or (714/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))) and (input and output) and (iterativ$5 or incremental$4 or recursiv$5) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:13
-		39	(((((debug$4 or test$4).ab. or (714/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))) and (input and output) and (iterativ$5 or incremental$4 or recursiv$5) and (@ad<=20010820 or @rlad<=20010820)) and ((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) or 5159600.URPN. or 5542043.URPN. or ((717/$ or 714/$) and ((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and (717/$ or 714/$)))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:14

-		14	`(((((debug$4 or test$4).ab. or (714/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))) and (input and output) and (iterativ$5 or incremental$4 or recursiv$5) and (@ad<=20010820 or @rlad<=20010820)) and ((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) or 5159600.URPN. or 5542043.URPN. or ((717/$ or 714/$) and ((((@ad<=20010820 or @rlad<=20010820) and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and (717/$ or 714/$)))))))) and 717/$ and (debug$4 and input and log$4)`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:18
-		22	`(((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section)) ) not Accenture`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:29
-		0	`(decomposition near5 test) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:42
-		0	`(decompos$5 same test) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:30
-		8	`((debug$4 or (fault near detect$4)) same (software or module)) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:31
-		8	`(@ad<=20010820 or @rlad<=20010820) and (((debug$4 or (fault near detect$4)) same (software or module)) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5)))`	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:58
-		5	`6249882.URPN.`	USPAT	2004/08/20 17:34
-		13	`("5335342" | "5634098" | "5651111" | "5664173" | "5740353" | "5754760" | "5758061" | "5805795" | "5862362" | "5892947" | "5905856" | "5949999" | "6023580").PN.`	USPAT	2004/08/20 17:35

-	4	("5414836" | "5455938" | "5500941" | "5604895").PN.	USPAT	2004/08/20 17:37
-	18	5805795.URPN.	USPAT	2004/08/20 17:38
-	32	4595981.URPN.	USPAT	2004/08/20 17:50
-	0	("each set" adj2 input) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$) and (debug or fault or failure or error or mismatch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:56
-	0	("each set" adj2 input) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:57
-	0	("each" adj2 input) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:57
-	48	((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:58
-	43	(@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:22
-	43	(@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 14:40
-	43	((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:27
-	38	(((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:38
-	0	((((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (decomposition same test)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:39
-	41	((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:39
-	168	(@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:40

-	12	(717/$ and (decomposition same test)) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:40
-	168	((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:10
-	44	(((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:42
-	13	(software near5 test) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:42
-	1	(((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) and ((software near5 test) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:08
-	5	6249882.URPN.	USPAT	2004/08/21 15:45
-	13	("5335342" | "5634098" | "5651111" | "5664173" | "5740353" | "5754760" | "5758061" | "5805795" | "5862362" | "5892947" | "5905856" | "5949999" | "6023580").PN.	USPAT	2004/08/21 15:49
-	8	("4825354" | "4945475" | "5021997" | "5182806" | "5230049" | "5274803" | "5414836" | "5421004").PN.	USPAT	2004/08/21 15:54
-	30	("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.	USPAT	2004/08/21 16:00
-	32	4617663.URPN.	USPAT	2004/08/21 16:05
-	0	4617663.URPN. and (decompos$5 near6 (module or input or target or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:12
-	1598	(test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:10
-	110	((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or (714/$ and software.clm.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:11

C:\APPS\EAST\Workspaces\09943209.wsp

-	38	((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:22
-	13	717/$ and (decomposition same test)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:12
-	0	(((((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:33
-	1	(((((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:33
-	22	(((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or (714/$ and software.clm.))) and (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:21
-	14	(((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or (714/$ and software.clm.))) and (((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:35
-	30	("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.	USPAT	2004/08/21 16:48

Search History   8/23/04 9:10:22 AM   Page 8

–	11	5193178.URPN.		USPAT	2004/08/21 16:58
–	7	5561762.URPN.		USPAT	2004/08/21 17:02
–	6	6167352.URPN.		USPAT	2004/08/21 17:04
–	50	5005119.URPN.		USPAT	2004/08/21 17:16
–	43	(@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:25
–	21	(debug or test).ab. and (717/$ or 714/$) and (decompos$5 near6 (module or input or target or program or code))		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:26

C:\APPS\EAST\Workspaces\09943209.wsp

| | | 54 | (((((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) or (("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or (714/$ and software.clm.))) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) or ((debug or test).ab. and (717/$ or 714/$) and (decompos$5 near6 (module or input or target or program or code)))) and (decompos$4 or subdivi$5 or "broken into" or partition$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/21 17:25 |

| | | 48 | ((((((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) or (("3733587" \| "4296409" \| "4358824" \| "4383298" \| "4384325" \| "4399502" \| "4402055" \| "4404639" \| "4424576" \| "4437184" \| "4453217" \| "4468732" \| "4495566" \| "4545011" \| "4589068" \| "4595981" \| "4606025" \| "4611320" \| "4617663" \| "4639916" \| "4648044" \| "4649515" \| "4654852" \| "4658370" \| "4670834" \| "4730315" \| "4736374" \| "4742467" \| "4841456" \| "4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or (714/$ and software.clm.))) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) or ((debug or test).ab. and (717/$ or 714/$) and (decompos$5 near6 (module or input or target or program or code)))) and (decompos$4 or subdivi$5 or "broken into" or partition$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record))) and (@ad<=20010820 or @rlad<=20010820) and (incremental$4 or iterativ$4 or recursiv$5 or progressive) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/21 17:39 |

| | | 34 | (((((((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or (((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) or (("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or (714/$ and software.clm.))) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) or ((debug or test).ab. and (717/$ or 714/$) and (decompos$5 near6 (module or input or target or program or code)))) and (decompos$4 or subdivi$5 or "broken into" or partition$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record))) and (@ad<=20010820 or @rlad<=20010820) and (incremental$4 or iterativ$4 or recursiv$5 or progressive)) and ((debug or test).ab. or (717/$ or 714/$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/21 17:27 |

		14	((((((((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (717/$ or 714/$) and (module same (block or submodule or section))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) or (("3733587"	"4296409"	"4358824"	"4383298"	"4384325"	"4399502"	"4402055"	"4404639"	"4424576"	"4437184"	"4453217"	"4468732"	"4495566"	"4545011"	"4589068"	"4595981"	"4606025"	"4611320"	"4617663"	"4639916"	"4648044"	"4649515"	"4654852"	"4658370"	"4670834"	"4730315"	"4736374"	"4742467"	"4841456"	"4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/$ or (714/$ and software.clm.))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and (717/$ or 714/$ or 345/$))) or ((debug or test).ab. and (717/$ or 714/$) and (decompos$5 near6 (module or input or target or program or code)))) and (decompos$4 or subdivi$5 or "broken into" or partition$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record))) and (@ad<=20010820 or @rlad<=20010820) and (incremental$4 or iterativ$4 or recursiv$5 or progressive)) and ((debug or test).ab. or (717/$ or 714/$))) not (Accenture.as. or Bowman.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:35
		0	((program or code or module) near4 further) adj2 ((broken or subdivid$4 or decompos$5) adj2 into)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:37
		0	(program or code or module) near4 ((broken or subdivid$4 or decompos$5) adj2 "into")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:38

–	7378	(program or code or module) near4 ((broken or subdivid$4 or decompos$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:38
–	97	(input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid$4 or decompos$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:43
–	9	((program or code or module) near4 ((broken or subdivid$4 or decompos$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid$4 or decompos$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:39
–	2	(((program or code or module) near4 ((broken or subdivid$4 or decompos$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid$4 or decompos$5)))) and (@ad<=20010820 or @rlad<=20010820) and (test$3 or debug$4 or verif$5 or valida$6 or simulat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:42
–	2	(((program or code or module) near4 ((broken or subdivid$4 or decompos$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid$4 or decompos$5)))) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:42
–	262	(input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid$4 or decompos$5 or partition$4 or hierarch$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:43
–	1	((program or code or module) near4 ((broken or subdivid$4 or decompos$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid$4 or decompos$5 or partition$4 or hierarch$5))) not (((program or code or module) near4 ((broken or subdivid$4 or decompos$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid$4 or decompos$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:44

C:\APPS\EAST\Workspaces\09943209.wsp